PRODUCT FICHE Information for domestic electric hobs Comply with EU directive 2009/125/EC- Regulation No 66/2014 according to EN 60350-2 **Brand ALTIMO** Model CEDC601W / CEDC601B Electrical Χ Type of hob Gas Mix Number of ccoking zone and or area 4 Χ Radiant Cooking zone Heating Technology Induction Cooking zone Solid Plates Cooking zone Front left zone 15,5 Rear left zone 18,5 For circular cooking zones or area: diameter of useful surface Front right zone 18,5 area per electric heated cooking zone, rounded to the nearest Rear right zone 15,5 5mm (0/cm) Front centre zone Rear centre zone Front left zone Rear left zone For non-circular cooking zones or areas: length and width of Front right zone useful surface area per electric heated cooking zone or area, Rear right zone rounded to the nearest 5mm (LxW) cm Front centre zone Rear centre zone Front left zone 193 Rear left zone 194 Front right zone 194 Energy consumption per electric cooking zone or area calculated per kg EC electric cooking Wh/kg Rear right zone 193 Front centre zone Rear centre zone 193,5 Energy consumption for the hob calculated per kg EC electric hob (Wh/kg)

PRODUCT FICHE

Comply with Energy Label Directive Eu 2010/30/EU - Regulation No 65/2014 of ovens according to EN 60350-1 or EN 15181

Comply with EU directive 2009/125/EC- regulation No 66/2014 according to EN 60350-1 or EN 15181

Brand	ALTIMO	ALTIMO						
Model		CEDC601W / CEDC601B						
Type of oven			Free Standing		1			
			Built-in					
Mass of the appliance(M)(Net weight)kg						kg		
Number of cavities					2			
Heat source per cavity			Electrical	Х				
			Gas					
			Mix					
Volume per cavity			60					
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) Energy consumption required to heat a standardised load in a			EC electric cavity	-	kWh/cycle			
cavity of an electric heated oven during a cycle mode per cavity (electric final energy)			nfan-forced	electric cavity	0,75	KVVII/Cycle		
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy)				EC gas cavity	-	MJ/cycle kWh/cycle (')		
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy)				EC gas cavity		MJ/cycle kWh/cycle (')		
Energy Efficie	EEIcavity	93,8						
Energy Efficiency Class				A				
(1) 1 kWh/cvc	le= 3,6 MJ/cycle.							

PRODUCT FICHE

Comply with Energy Label Directive Eu 2010/30/EU - Regulation No 65/2014 of ovens according to EN 60350-1 or EN 15181

Comply with EU directive 2009/125/EC- regulation No 66/2014 according to EN 60350-1 or EN 15181

Brand	ALTIMO	ALTIMO						
Model	CEDC601W /	CEDC601W / CEDC601B						
Type of oven		Free Standing	X					
		Built-in						
Mass of the a	opliance(M)(Net weight)			kg				
Number of car	vities			2				
Heat source per cavity		Electrical	X					
		Gas						
		Mix						
Volume per cavity			30					
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy)			EC electric cavity EC electric cavity	0,82	kWh/cycle			
Energy consu	EC gas		MJ/cycle					
gas-fired cavit per cavity (gas	s final energy)	ie in conventional mode	Cavity		kWh/cycle (')			
per cavity (gas	mption required to heat a y of an oven during a cyc	standardised load in a	EC gas cavity					
per cavity (gas Energy consul gas-fired cavit per cavity (gas	mption required to heat a y of an oven during a cyc	standardised load in a	EC gas	120,6	kWh/cycle (') MJ/cycle			
per cavity (gas Energy consul gas-fired cavit per cavity (gas	mption required to heat a y of an oven during a cyc s final energy) ncy Index per cavity	standardised load in a	EC gas cavity	120,6	kWh/cycle (') MJ/cycle kWh/cycle (')			